Flolli

Vernis à 5% de fluorure de sodium

Germiphene Corporation
1379 Colborne Street East
Brantford, ON Canada N3T 5M1
Telephone: +519.759.7100

EC REP

CEpartner4U
3951DB; 13. NL, Tel: +31 (0)6-516.536.26

50˚F–75˚F / 10˚C–24˚C

Réservé à l'usage professionnel

Contient:

0.3 mL x 120 Flollipacks

Gomme Balloune

GERMIPHENE®

UTILISATION:

Flolli est un vernis au fluorure de sodium au goût agréable contenant 50 mg de fluorure de sodium (équivalent à 22,6 mg d'ions de fluorure) par 1 mL. L'emballage à dose unique pratique FlolliPack facilite le mélange et l'application pour des résultats uniformes.

MODE D'EMPLOI:

1. Nettoyer les dents et éliminer l'excédent d'humidité de la région à traiter.
2. Saisir le film de protection et le tirer lentement pour mettre à nu la brosse applicatrice et le godet de vernis.
3. Retirer la brosse applicatrice, la plonger dans le godet et mélanger.
4. Appliquer un mince film de vernis sur la région à traiter.
5. Laisser le vernis sécher pendant environ 10 secondes, puis dire au patient de fermer la bouche.
6. Jeter l'emballage et l'applicateur après utilisation.
7. Le patient peut partir immédiatement après le traitement. Conseiller au patient de manger des aliments mous et de boire des liquides froids seulement, pendant les deux heures qui suivent le traitement, ainsi que de ne pas se brosser les dents pendant 6 heures au minimum.
8. Une fois sec, tout excédent de vernis peut prendre une apparence de "taches" et se détacher de la surface de la dent. Ceci n'affectera pas l'efficacité du produit, étant donné qu'une couche entière de vernis demeurera en place sur la dent.

CONTRE-INDICATIONS:

1. Gingivite ulcérative et stomatite
2. Réactions allergiques connues au fluorure
3. Eviter l'ingestion pendant l'application
4. Allergies connues à la colophane ou à des matières similaires

INTERACTIONS:

Ne pas appliquer lorsque d'autres traitements au fluorure (gels ou mousses)sont à effectuer le même jour. L'utilisation de comprimés et de rince-bouche au fluorure doit être interrompue pendant plusieurs jours après le traitement initial.

EFFETS INDÉSIRABLES:

Des gonflements de la gencive ont été rapportés dans des cas rares, tout spécialement après application sur des surfaces étendues. Une dyspnée, bien qu'extrêmement rare, est survenue chez des patients asthmatiques. Les patients à estomac sensible ont rapporté des nausées occasionnelles. Le vernis s'élimine facilement par brossage dentaire et rincage.

GERMIPHENE®

Flolli

5% Sodium Fluoride Varnish

Germiphene Corporation
1379 Colborne Street East
Brantford, ON Canada N3T 5M1
Telephone: +519.759.7100

EC REP

CEpartner4U
3951DB; 13. NL, Tel: +31 (0)6-516.536.26

50˚F–75˚F / 10˚C–24˚C

FOR PROFESSIONAL USE ONLY

Contains:

0.3 mL x 120 Flollipacks

Bubble Gum

GERMIPHENE®

INSTRUCTIONS FOR USE

Flolli is a great-tasting, sodium fluoride varnish. It contains 50 mg of sodium fluoride (equivalent to 22.6 mg fluoride ion) per 1 mL. The convenient FlolliPack single dose package allows easy mixing and application, for uniform results.

DIRECTIONS FOR USE:

1. Clean teeth. Remove excess moisture from area to be treated.
2. Grip the foil cover and slowly peel back to expose the brush applicator and varnish well.
3. Remove the applicator brush and stir material in well.
4. Paint a thin film of varnish onto the treatment area.
5. Let the varnish dry for approximately ten seconds, then instruct the patient to close their mouth.
6. Dispose the package and applicator after use.
7. The patient may leave immediately after treatment. Advise the patient to remain on a soft food diet and only drink cold liquids for two hours after treatment. Advise the patient not to brush for a minimum of four to six hours.
8. When dry, any excess varnish may appear "spotty" and may slide off the tooth surface. This will not affect the efficacy of the product as there is still a full layer of varnish on the tooth.

CONTRAINDICATIONS:

1. Ulcerative gingivitis and stomatitis
2. Known allergic reactions to fluoride
3. Avoid ingestion during application
4. Known allergies to colophony or similar materials

INTERACTIONS:

Do not apply when other fluoride treatments such as gels or foams are to be done on the same day. The use of fluoride rinses and tablets should be interrupted for several days after initial treatment.

ADVERSE REACTIONS:

In rare instance, edematous swellings have been reported, especially after application to extensive surfaces. Dyspnea, although extremely rare, has occurred in asthmatic patients. On occasion, patients with sensitive stomachs have reported nausea. The varnish may easily be removed through tooth brushing and rinsing.

GERMIPHENE®

Telephone: (800) 265.9931 (519) 759.7100
Fax: (800) 229.1893 (519) 759.1625
Email: info@germiphene.com www.Germiphene.com
1379 Colborne Street East, Brantford ON Canada N3T 5M1

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION I: PRODUCT / COMPANY IDENTIFICATION

Product Trade Name:	Flolli Bubble Gum, 120
Germiphene Corporation:	1379 Colborne Street East, Brantford, Ontario N3T 5V7 (519) 759.7100 (800) 265.9931

SECTION II: COMPOSITION/INFORMATION ON INGREDIENTS

Product Contents: Colophony Desensitizing Dental Varnish, Tooth Shade A2–Bulk

Hazardous Ingredients:

Rosin 50–70 %	EINECS: 232-475-7	CAS: 8050-09-7	[Sens.) R43
Ethanol 10–30%	EINECS: 200-578-6	CAS: 64-17-5	[F] R11
Sodium Fluoride 1–10%	EINECS: 231-667-8	CAS: 7681-49-4	[T] R25; R32; [Xi] R36/38

SECTION III: HAZARDS IDENTIFICATION

Harmful if swallowed. Contact with acids liberates very toxic gas. May cause sensitization by skin contact.

SECTION IV: FIRST AID MEASURES

Symptoms:	Action:
Skin contact: There may be mild irritation at the site of contact.	Wash immediately with plenty of soap and water.
Eye contact: There may be irritation and redness.	Bathe the eye with running water for 15 minutes.
Ingestion: There may be irritation of the throat.	Wash out mouth with water.
Inhalation: No symptoms.	Consult a doctor.

SECTION V: FIRE-FIGHTING MEASURES

Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.
Exposure hazards:	In combustion emits toxic fumes.
Protection of Fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

SECTION VI: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Refer to section 8 for Personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.
Environmental Precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.
Clean-up Procedures:	Absorb into dry earth or sand. Transfer to a closable, labeled salvage container for disposal by an appropriate method.

SECTION VII: HANDLING AND STORAGE

Storage conditions:	Store in cold, well ventilated area. Keep container tightly closed.

SECTION VIII: EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous ingredients:	ETHANOL TWA 1920 mg/m3
Respiratory protection:	Respiratory protection not required.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

State:	Paste
Colour:	Off-white
Odour:	Characteristic odour
Evaporation rate:	Moderate
Solubility in water:	Slightly soluble
Also soluble in:	Ethanol
Viscosity:	Viscous

SECTION X: STABILITY AND REACTIVITY

Stability:	Stable under normal conditions
Conditions to avoid:	Heat
Materials to avoid:	Strong oxidizing agents. Strong acids.
Haz. Decomp. Products:	In combustion emits toxic fumes.

SECTION XI: TOXICOLOGICAL INFORMATION

Hazardous ingredients:

ETHANOL	**SODIUM FLUORIDE**
IVN RAT LD50 1440 mg/kg	ORL MUS LD50 57 mg/kg
ORL MUS LD50 3450 mg/kg	ORL RAT LD50 52 mg/kg
ORL RAT LD50 7060 mg/kg	SCU RAT LD50 175 mg/kg
Routes of exposure:	Refer to section 4 of MSDS for routes of exposure and corresponding symptoms.

SECTION XII: ECOLOGICAL INFORMATION

Mobility:	Readily absorbed into soil.
Persistence and degradability:	Biodegradable.
Bioaccumulative potential:	No bioaccumulation potential.
Other adverse effects:	Negligible ecotoxicity.

SECTION XIII: DISPOSAL CONSIDERATIONS

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SECTION XIV: TRANSPORT INFORMATION

ADR / RID	UN no: -	
	Shipping Name:	NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.
IMDG / IMO	UN no: -	
IATA / ICAO	UN no: -	

SECTION XV: REGULATORY INFORMATION

Hazard symbols:	Harmful.
Risk phrases:	R22: Harmful if swallowed. R32: Contact with acids liberates very toxic gas. R43: May cause sensitization by skin contact.
Safety phrases:	S24: Avoid contact with skin. S37: Wear suitable gloves.

PRECAUTIONARY PHRASES: Restricted to professional users.

NOTE: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

SECTION XVI: OTHER INFORMATION

Risk phrases used in s.2:
R43: May cause sensitization by skin contact.
R11: Highly flammable.
R25: Toxic if swallowed.
R32: Contact with acids liberates very toxic gas.
R36/38: Irritating to eyes and skin.

Legal disclaimer:
CAUTION: PRODUCT FOR PROFESSIONAL USE ONLY

The above information is based on presently available data and to our best knowledge for handling the product under normal conditions. Any use of this product in any way not indicated on this document or using it together with any other process/procedure will be exclusively under the user's responsibility.

Date Revised 01/2010 012067 Rev.B

GERMIPHENE®